Appl. No. 10 731 757 Amdt. dated November 25, 2005 Reply to Office action mailed May 24, 2005

AMENDMENTS TO THE SPECIFICATION

Please replace the first paragraph beginning at page 1 with the following rewritten paragraph: IDC-A1,AMD

This application is a continuation-in-part of International Application No. PCT /KR01/02261 filed December 26, 2001, published in English under PCT Article 21(2) and now abandoned and a continuation-in-part of International Application No. PCT /KR01/02262 filed December 26, 2001, published in English under PCT Article Article 21(2) and now abandoned. This application is also a continuation-in-part of Serial No. 10/223,450 filed August 19, 2002, now U.S. 6,900,256, which is a continuation of Serial No. 09/997,781, filed November 28, 2001, now U.S. 6,576,161, which is a continuation-in-part of Serial No. 09/752,814 filed December 29, 2000, now U.S. 6,437,029.

IIFW SENT

Please replace three paragraphs beginning at page 6, line-19 to page 7, line-11 with the following

IDC-A2 AMbree rewritten paragraphs:

— <u>Oxaphosphorane Compound</u> <u>Oxaphospholane Compound</u>: The oxaphosphorane <u>oxaphospholane</u> compound is represented by the following chemical Formula (III):

$$\begin{array}{c}
O \\
R_1 \\
R_2 \\
R_3
\end{array}$$
(III)

where R_1 is hydrogen, alkyl of C_{1-6} , or aryl of C_{6-15} , R_2 and R_3 are hydrogen or alkyl of C_{1-6} , and n is in the range of 1 to 3.

The preferable examples of the oxaphosphorane oxaphospholane compound are 2-methyl-2, 5-dioxo-1-oxa-2-phosphorane 5-dioxo-1-oxa-2-phospholane and 2-phenyl-2, 5-dioxo-1-oxa-2-phosphorane 2-phenyl-2, 5-dioxo-1-oxa-2-phospholane. The oxaphosphorane oxaphospholane compounds are used in single or in combination.

CH 8/2/06

Appl. No. 10 731 757 Amdt. dated November 25, 2005 Reply to Office action mailed May 24, 2005 IDC-A2.AM

> The oxaphospholane compounds are known in the art as in U.S. Patent No. 5,334,769, herein incorporated by reference. Rubber modified styrene-containing resin composition containing oxaphosphorane oxaphospholane compounds flame retardants are disclose in commonly assigned Serial No. 10 231,448, now U.S. 6,900,256, herein incorporated by reference. —

IIFW SENT

Please replace the two paragraphs beginning at page 8, line 5 to line 18 with the following IDC-A3,AMD two rewritten paragraphs:

- Phosphoric Acid Ester Morpholide Compound: The phosphoric acid ester morpholide compound is represented by the following chemical Formula (V):

$$\begin{bmatrix} R_{1}^{\prime} - O \end{bmatrix}_{2-x} \stackrel{O}{\stackrel{H}{\stackrel{}}} - \begin{bmatrix} O - R_{2}^{\prime} - O - \stackrel{H}{\stackrel{}} \end{bmatrix}_{n} \begin{bmatrix} O - R_{2}^{\prime} - O - \stackrel{H}{\stackrel{}} \end{bmatrix}_{m} O - R_{1}^{\prime}$$

$$= \begin{bmatrix} N \\ O \end{bmatrix}_{x}$$

$$= \begin{bmatrix} N \\$$

where R_t R'_1 is a $C_{6\cdot 20}$ aryl group or an alkyl-substituted $C_{6\cdot 20}$ aryl group, R_2 R'_2 is a C₆₋₃₀ aryl group or an alkyl-substituted C₆₋₃₀ aryl group, x is 1 or 2, and n and m are number average degree of polymerization and n+m is 0 to 5. In Formula (V), preferably R₁ R'₁ is a phenyl group or an alkyl-substituted phenyl group where the alkyl is methyl, ethyl, isopropyl, t-butyl, isobutyl, isoamyl or t-amyl, preferably methyl, ethyl, isopropyl or t-butyl, and R₂ R'₂ means preferably a C_{6-30} aryl group or an alkyl-substituted C_{6-30} aryl group which is a derivative from resorcinol, hydroquinone or bisphenol-A. —